



140W USB-C® GaN Power Adapter (4-Port Charger)

Part Number: K38102NA | UPC Code: 0 85896 01241 2

High speed,
more devices,
no clutter.

Professionals on the go often carry separate chargers for their laptop, phone, and tablet, adding unnecessary weight and clutter to their bag. In addition, limited outlets in places like conference rooms and cafes further complicate charging needs.


The 140W USB-C® GaN Power Adapter offers a compact solution—one device that replaces multiple power bricks and chargers, lightening your load and keeping your workspace organized. This single charger allows up to four devices to share one outlet simultaneously, even enabling two laptops to charge at once.

Its compact design and advanced GaN technology ensure fast, reliable charging without the bulk of traditional chargers.

- Efficient high-speed power for laptops, tablets, and smartphones
- USB-C® Extended Power Range (EPR) PD 3.1
- MacBooks, Windows & ChromeOS laptops, iPhones, iPads, Surface devices, and more
- Dual laptop charging with up to 70W each
- 140W to charge up to four devices simultaneously
- Compact design with foldable plug
- 2-year limited warranty

140W USB-C® GaN Power Adapter (4-Port Charger)

Part Number: K38102NA | UPC Code: 0 85896 01241 2



Ultra-Fast 140W GaN Charger

Power up your devices at lightning speed with this 140W fast charger. Built with advanced GaN technology and the latest Extended Power Range (EPR) USB Power Delivery (PD) 3.1 protocol, it delivers efficient, high-speed charging ideal for MacBooks, laptops, tablets, and smartphones.



Broad Compatibility

With EPR USB PD 3.1 protocol, this charger can deliver up to 140W to a single laptop. All ports are compatible with a wide range of USB-C® devices — MacBooks, Windows & ChromeOS laptops, iPhones, iPads, Surface devices, and more.



Power Two Laptops at Once

Keep meetings running smoothly by powering two laptops at once. In two-port mode, the C1 and C2 ports each provide up to 70W, allowing reliable dual-laptop operation in conference rooms and collaborative spaces.



4-in-1 USB-C® Charging

With four USB-C® ports and 140W total output, this charger powers multiple devices simultaneously. Delivers up to 140W to a laptop in a 1-port setup, provides up to 70W to each laptop in a 2-port setup, and shares a total of 140W across four devices in a 4-port scenario (35W each).

140W USB-C® GaN Power Adapter (4-Port Charger)

Part Number: K38102NA | UPC Code: 0 85896 01241 2



Take High Power Everywhere

Power your workstation, meeting room, or home office with one charger designed to support high-performance workflows. Ideal for designers and business professionals, it features a foldable plug for easy storage in your laptop case.



Cable Sold Separately

Use with an existing USB-C® cable or purchase our USB-IF Certified 6.6ft USB-C® Fast-Charging Cable (K32304WW; sold separately).



A Brand You Can Trust

Meets Kensington's strict standards for quality, safety, and performance – and is backed by a 2-year limited warranty.

140W USB-C® GaN Power Adapter (4-Port Charger)

Part Number: K38102NA | UPC Code: 0 85896 01241 2

System Requirements

Systems Supported	Compatible with laptops, tablets, and smartphones equipped with a USB-C® port that supports USB-C® Power Delivery (PD)
Plug & Play	Yes

Interface & Connections

USB Connector Type	USB-C®
Host Docking Connectivity	USB-C® with Power Delivery (PD) up to 140W
Ports	4 x USB-C® PD ports

Product Dimensions

Unit Weight	0.71lb (0.32kg)
Unit Dimensions	1.31 x 2.89 x 3.12in (33 x 73 x 79mm)
Enclosure Color & Material	White PC

Packaging Dimensions

Packaging Style	FSC® certified brown envelope
Packaging Dimensions	Unit: 4.76 x 4.31 x 1.59in (121 x 110 x 41mm) Carton: 9.25 x 9.45 x 5.51in (235 x 240 x 140mm)
Packaging Weight	Unit: 0.86lb (0.39kg) Carton: 9.21lb (4.18kg)
Master Carton	10pcs
Packaging Content	1 x 140W USB-C® GaN Power Adapter 1 x Instruction Guide 1 x Warranty Card 1 x Compliance Sheett

140W USB-C® GaN Power Adapter (4-Port Charger)

Part Number: K38102NA | UPC Code: 0 85896 01241 2

Power & Environmental

Power Delivery

Single Port Output (C1 / C2 / C3 / C4)

- PD 3.1: 5V=3A, 9V=3A, 15V=3A, 20V=5A, 28V=5A (140W Max)
- PPS: 5–21V=5A (100W Max)

Dual Port Output













- C1 + C2 / C3 + C4: 70W + 70W (140W Max)

Triple Port Output

- C1 + C3 + C4 / C2 + C3 + C4: 70W + 45W + 20W (135W Max)

Quad Port Output

- C1 + C2 + C3 + C4: 35W + 35W + 35W + 35W (140W Max)

	Up to 140W			Up to 140W (65W+35W+40W) (50W+50W+40W) (35W+65W+40W)	
	Up to 140W (70W+70W) (100W+40W) (40W+100W)			Up to 135W (70W+35W+30W) (70W+45W+20W) (70W+20W+45W)	
	Up to 140W (100W+40W)			Up to 140W (35W+35W+35W+35W) Up to 135W (45W+20W+35W+35W) (20W+45W+35W+35W) Up to 130W (45W+20W+45W+20W) (45W+20W+20W+45W) (20W+45W+20W+45W) (20W+45W+45W+20W)	

Relative Humidity

20 to 90%

Operating Temperature

32 to 77°F (0 to 25°C)

Storage Temperature

-4 to 185°F (-20 to 85°C)

Country of Origin, Regulatory, and Warranty

Country of Origin

Vietnam

Certifications & Compliance

FCC, IC, UL Mark, RoHS, ACCO RSL

Warranty

2-Year Limited



All specifications are subject to change without notice. Products may not be available in all markets. Kensington and the ACCO name and design are registered trademarks of ACCO Brands. Kensington The Professionals' Choice is a trademark of ACCO Brands. All other registered and unregistered trademarks are the property of their respective owners. Thunderbolt and the Thunderbolt logo are trademarks of Intel Corporation in the U.S. and/or other countries. © 2026 Kensington Computer Products Group, a division of ACCO Brands. All rights reserved. K25-23089P

Kensington

The Professionals' Choice™